Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/chinacatalog00fuji

J. Fu
1999-2000

Catalogue

China

001-275

Jinzhong Fu
1999

default = + (frozen) tissues
unless notes say "no tissues"

May 15, 1999

Batrachuperus longdongensis

JF 001 (- JF 008)

JF 006, 007, 008 with HLM tissues.
001-005 do not have tissues.

About 300 m downhill along the road to Gaomiao, from the parking lot at the gate to Emei Mountain Park.
3:00-5:00 pm. elevation 1300 m.
29°35'N ~~30.6°N, 102.7°E~~ Sichuan Prov.
103°17'E
The salamander only occur near the headwater of Longdong R.. Very cold water comes out of underground. All 8 salamander were discovered under rocks. When turn over the rocks, the salamander normally move very ~~soluty~~ slowly.

According to Li Xuetao (my local field guide) the salamander deposit eggs under rocks, which locate in the fast moving stream, not static water. During night, the salamanders were often found on smooth tree trunk on the east bank of the river.

JF 001 - 005 died on May 16, 1999. No tissues were collected.

See back for a map.

This ~~is the~~ location has the lowest elevation of all Batrachuperus. Possibly because the underground water is really cold.


gate to Emei Mount. Park
To Gaomiao
Collecting site
Longdong R.
Parking lot
Store
300m
"Zero Km Place"
From Emei City

Jinzhong Fu
1999

May 15, 1999

Polypedates omeimontis

JF010 (-JF024)

JF010 with egg mass.
JF012, 023, 024 died no tissues.

9:30-11:00 pm.

About 100 m downhill from the parking lot of Emei Mt. Park. Southern side of road. A small man-made pond with about 20 cm deep water. Two species, P. omeimontis and P. chenfui, co-exist.

Elevation 1300 m.

29°35'N 103°17'E Sichuan Prov

* JF021, 022 with photo

inzhong Fu
1999

May 15, 1999

Polypedates chenfui

JF 025 (-JF 031)

9:30 - 11:00 pm.

Same site as P. omeimontis. These two species co-exist.

JF 025, 028 dark green, others light green.

*. JF 025. 026 with photo.

29°35'N 103°17'E

Sichuan Prov.

Jinzhong Fu
1999

May 16, 1999

Rana omeimontis Ye, Fei et Matsui

Formerly R. japonica.

JF 032.

Longdong, Emei Mt., elevation 1300 m.
29°35'N, 103°17'E Sichuan Prov.
This frog and 4 Bufo andrewsi were discover early morning 7:00 am. in Li Xuetao's family reservoir in the backyard.

The reservoir is currently not in use, with about 10 cm deep dirty water. I suspect these froogs are accidently fall in, anel can not escape.

* JF 032 with photo.

Jinzhong Fu

1999

May 16, 1999

Bufo andrewsi

JF033 (-JF036)

Longdong, Emei mt.

elevation 1300 m.

29°35'N, 103°17'E Sichuan Prov.

7:00 am collected from the family ~~reservoir~~ reservoir of Li Xuetao's, Backyard, with 10cm deep dirty.

this species is co-exist with *R. omeimontis*.

* JF033 with photo.

inzhong Fu
1999

May 21. 1999

Rana parkeri

Formerly Altirana parkeri
JF 037 (-JF 038)

Collected by Zheng Mingquan on
Feb. 15, 1999. middle moon.
ZhiuLongde qing Co., 10 km westward out of
Lasa city. The frogs were discovered under
rocks at a turning point in a artificial
channel.
N 29°36', 91.06' E

(Tibet)
Xizang autonomous
Region

* JF 037 with photo

Jinzhong Fu
1999

May 21, 1999

Bufo raddei

JF 039 (-JF042)

Collected by Zeng Xiaomao on April 26, 1999.
3:00pm.

Yellow R. Tourist Region, Vicinity of
Zhengzhou City, Henan Province.
34.7°N, 113.6°E

The toad were discovered in static water close to the river bank.

Jinzhong Fu
1999

May 22, 1999

Pseudohynobius ~~flavomargina~~
flavomaculatus

JF 043 (-JF044). JF 178

Collected by Liu zhijun. on May 15, 1999

Hanchi, Lichuan Co., Hubei Prov.
elevation 1870 m.
30.3° N 108.9° E

inzhong Fu

1999

May 22, 1999

Lina shihi

JF045 (-JF053)

JF050 died, no tissues.

Collected by Liu zhijun on May 11, 1999

Zhuxian, Louping, Wushan Co., Sichuan Prov.
elevation 1250 m

31.0°N 109.8° E

inzhong Fu

1999

May 26, 1999

11:00-12:00 am

Batrachuperus pinchonii

JF 054 (-JF 069)

Heping Valley, Baoxing Co., Sichuan Prov.

On the road from Baoxing Hotel to Yaoji. about 50 km from Baoxing Hotel. Heping Valley. The collecting site is about 1.5 km upstream off the main road.

Elevation estimated at 2000 m.

30°39' N, 102°43' N (From map)

A open stream, water runs fast, slope of about 30°. under rock. very high pop. density. Almost one animal every 2-3 rock.

Collected total 17 specimens in about 10-15 m long stream with width of 2-3 m.

In the same habitat, one Rana schmackeri was collected. (JF 118)

nzhong Fu
1999

May 26, 1999
11:00 - 12:00 am

Rana schmackeri

JF 118. Same habitat as Batrachuperus.

Heping Valley, Baoxing Co., Sichuan Prov.

* with photo

30°39'N 102°43'N

Jinzhong Fu
1999

May 26, 1999
10:30-11:30 pm

Hyla annectanus

JF 071 (- JF 080)
Baoxing co., Sichuan Prov.

8 km away from Baoxing Hotel ~~on~~. Right turn after the Liang He Kou bridge. Rice field. ~~Large~~ high population ~~size~~ density judged by the frog call. However, the frog are quite difficult to find because the green color and small size.

In the same habitat, there are Bufo andrewsi.

30°23′N 102°49′E

inzhong Fu
1999

May 26, 1999

10:30 – 11:30

Bufo andrewsi

JF 081 (- JF 083)

Baoxing Co., Sichuan Prov.

Rice field. Same site as Hyla annectans (JF 071)

30° 23′ N 102° 49′ E

Jinzhong Fu
1999

May 28, 1999

12:00
1:00 pm

Batrachuperus pinchonii

JF 084 (- JF090)

Zhedoushan Pass, Kangding Co., Sichuan Prov
(30°04'N, 101°[redacted]'E, from map)
elevation 3700m. 49'

On 318 State Road, milestone 2870

The stream is about 10m wide, fast running water. The habitat of this location is slightly different from other places. All salamander were discovered under rocks, which are located on the side, close to river bank. The water is almost static. (photo)

((ontrast to other places, the rock always right in the middle of the river, with water running over & under them).

inzhong Fu
1999

May 28, 1999
3:00 pm

Batrachuperus karlschmidti

JF 091 (-JF 097)
Xinduqiao, Kangding Co., Sichuan. Prov.
(30°02'4' N, 101°[illegible]' E, from map)
elevation 3500 m. 30'

From Prison ~~Bure~~ Bureau turn right at Agricutural Bank, up for about 4.9 km. Seaach in the main stream, found several frogs (2 Bufo tibetanus; 1 Rana japonèca; 2 Nanorana pleskeri; 2 Scutiger sp.), but not Batrachuperus. Further up to the side small stream, found 7 Batrachuperus.

Very high coloration variation. JF 093 very light colored. 094, 095 with exteral gills.

nzhong Fu

1999

May 28, 1999

3:00 pm

Bufo tibetanus

JF 098

Xinduqiao, Kangding, Sichuan Prov.

(30° 02′ N, 101° 30′ E, from Map)

elevation 3500 m.

From Prison Bareau turn right at Agricutural Bank and up 4.9 km.

Main stream, under rocks on the side of the river.

Jinzhong Fu
1999

May 28, 1999
3:00 pm

Rana japonica

JF 099 (=JF 100)
Xinduqiao, Kangding Co., Sichuan Prov.
(30° 02′ N, 101° 30′ E, from map)

elevation 3500m.

Main stream, under rocks.

inzhong Fu

1999

May 28, 1999

3:00 pm

Nanorana pleskeri

JF 101 (-JF 102)

Xinduqiao, Kangding Co., Sichuan Prov.

(30°02'N, 101°30'E)

Main stream, under rocks.

elevation 3500 m

inzhong Fu
1999

May 28, 1999

3:00 pm

Scutiger sp.

JF 103 (-JF 104)

Xinduqiao, Kangding Co., Sichuan Prov.

(30°02'N, 101°30'E)

elevation 3500 m.

stream, under rocks

juveniles, cannot be identified.

Possibly S. boulengeri
S. glandulata
S. mamatus.

inzhong Fu
1999

May 29, 1999

11:00 am

Rana cancrivora

JF 105 (- JF 111)
Liyao, Shimian Co., Sichuan Prov.
(29°16' N; 102°29' E, from map)
On the main road from Luding to Hanyuan.
elevation 900m.

a small pond beside the road; water depth about 20 cm, Hundreds of the frogs live there.

inzhong Fu
1999

May 31, 1999
7:00 pm

Batrachuperus longdongensis

June 1, 1999
10:00 - 11:30

JF 112 (- JF 115)
Longdong, Emei, Sichuan Prov.
(29° 35' N, 103° 17' E, from map)
elevation 1300 m.

Same site as JF 001, Longdong river.

JE

inzhong Fu
1999

May 31, 1999

Polypedates omeimontis 10:00 pm

JF 122

Longdong, Emei, Sichuan Prov.

(29°35'N, 103°17'E)

Same site as JF010.

inzhong Fu
1999

May 31, 1999

Polypedates chenfui 10:00 pm

JF 120 (- JF 121)

Longdong, Emei, Sichuan Prov.

The same site as JF 025

(29° 35' N 103° 17' E)

in zhong Fu
1999

June 1, 1999

10:00-11:30 am

Bufo andrewsi

JF 119

Longdong, Emei, Sichuan Prov.

In the grass, on the bank of Rongdong R.

The same ~~the~~ Location as B. longdongensis.

(29° 35' N 103° 17' E)

inzhong Fu
1999

June 1, 1999
12:00-1:30

Leptolalax oshanensis

JF 179
Longdong, Emei, Sichuan Prov.
elevation estimated 1500 m.

The first valley on the left side of the road from Longdong to Wangjiashan Power plant.
Found an adult frog, but failed to catch.
Obtained over 10 tadpoles, which ~~are~~ belong to two species: L. oshanensis & Oreolalax omeimontis.

(29° 35' N 103° 17' E)

Jinzhong Fu
1999

June 1, 1999

12:00 - 1:30 pm

Oreolalax omeimontis

JF 12~~4~~ (=JF 125)
Longdong, Emei, Sichuan Prov.
elevation estimated 1500 m.

The first valley on the left side of the road from Longdong to Wangjiashan Power Plant.

~~Found an~~ Tadpoles of two species co-exist in the stream, O. omeimontis and Leptolalax oshanensis.

(29°35'N 103°17'E)

inzhong Fu
1999

May 28, 1999

Batrachuperus tibetanus

JF 116 (-JF117)
Western Valley of MuYangChang,
Pingwu Co., Sichuan Prov.
(in WangLang Natural Reserve)
Collected by WangQiang.

(32°08'N, 104°06'E)
elevation 2580m.

nzhong Fu
1999

7

June 6, 1999

Batrachuperus tibetanus

JF 128 (-JF 143, 173)

Wudaoyan Valley, Baishui He (White Water R.),
Peng xian Co., Sichuan Prov.
elevation 2200 m.

color variation: JF 128, 129 light colored
JF 130, 131 dark, the others are inter-
medium.
JF 143 died. no tissues.

31.2° N 103.8° E

linzhong Fu
1999

June 12, 1999

Batrachuperus yanyuanensis

JF 144 (- JF 154)

Bai Lin Shan, ~~Yuang~~. Yanyuan Co., Sichuan Prov.
elevation 3200m

Colour is darker than B. tibetanus of Peng Xian.

JF 151, 152, 153, 154 died. no tissues.

27.37° N, 101.40° E

inzhong Fu

1999

June 6, 1999

Batrachuperus pinchonii 4:00 pm

JF155 (-JF172)

Top of Wawushan, BinLin, Hongya Co.
elevation 2800 m.

Stream with 2-4 m width & 0.4-0.5 m depth of water.

Sichuan Prov.

(29.7° N, 103.2° E)

inzhong Fu

1999

June 6, 1999

Scutiger chintingensis

JF 174 & JF 175)

Top of Wawushan, BinLin, Linjiang, HongYa

Co., Sichuan Prov.

elevation 2800m.

Stream with 2-4m width & 0.4-0.5m depth of water.

Same habitat as B. pinchonii

(29.7°N 103.2°E)

inzhong Fu

1999

June 17, 1999

10:00 am - 1:00 pm

Batrachuperus tibetanus

JF 126 (- JF 127)

Huaerping, Houzhengzi, Zhouzhi Co.,
Shaanxi Prov.
elevation 1300 m

From Houzhengzi, along the HeiHe R. valley,
walk upstream about 2 hrs. Pass by
Huaerping elementary school.

Color variation:
1 adult with dark spots, light brown back
1 juvenile completly dark with external gills.

(33.8° N , 107.8 °E)

J. Fu
2000

Feb 23. Da-Yang-Ao Villege, Dinghai Co.
Zhonshan Islands, Zhejiang Prov., China
elevation 578 Ft (from GPS)
N 30° 01.66′ E 122° 08.66′

Very slow moving stream, Connected to a main stream, which with fast moving water. A lot of egg sacs; collected 1 adult & 2 juveniles on the side of the hill, under rocks.

JF 214 Hynobius chinensis
JF 215 " juveniles
JF 216 " "

Ya-Dan-Ling, Dinghai Co., Zhoushan Is.
Zhejiang Prov. China
elevation 840 Ft
N 30° 03.37′ E 122° 07.20′

Deserted agricultural area, collected one adult under rocks.

JF 217 Hynobius chinensis

J. Fu
2000

Feb 23. Monument hill, Dinghai co., Zhoushan Is
Zhejiang Prov. China
N 30°01.82' E 122°05.32'
Alt 870 Ft

Ponds with a few egg sacs. collected
1 gavenile from the bank, under rock

JF 218 Hynobius chinensis

Feb 24. Rui-Yan-Si, Zhenghai CO., Zhejiang Prov.
China
N 29°50.25' E 121°52.66' ~~Alt~~

Small pond beside road. egg mass
6 frogs

JF 202 Rana japonica
203 "
204 "
205 "
206 "
207 "

→ deposited at CIB (Chengdu)

J. Fu
2000

Feb 25 Huan-Tan village, Xiaoshan Co.,
Zhejiang Prov. China
N 29°27.46′ E 120°18.09′
Alt 290 Ft

Two small ponds (2-3 m²) on slope of a hill, surrounded by veg. field and fruit trees.
lot of egg sacs in the ponds. 12 adults were collected from the mud of the ponds. unfortunately, all died at the evening. NO tissues were collected.

JF 279 Hynobius chinensis
280 "
281 "
282 "
283 "
284 "

The other six specimens were deposited in CIB (Chengdu).

JF 208 Rana japonica
Same pond as H. chinensis

J.Fu
2000

Feb 26, Qian-Mu-Tian, Long Wang Shan,
Anji co., Zhejiang Prov., China

N 30°23.69' E 119°27.32'
Alt 1350 m

This is the type locality of H. amjiensis & the only known distribution. It is a marsh area (meadow?) on almost the top of the mount. size is about 100m x 50m. surrounded by pine tree, bamboos & other bushes.
There are 9 small ponds (less than 1 m^2) which are the breeding sites for amjiensis. Gu has a paper published on Sichuan J. of Zool. (1999) about the pop. size. which is about 200 breed adults.
Five specimens were collected from the ponds, the whole area is covered by snow (5-10 cm deep), many egg sacs.

JF 209 Hynobius amjiensis
210 "
211 "
212 "
213 " deposited at CIB

J. Fu

2000

Feb 26. Gao-Ling, Ling An CO., Zhejiang Prov. China.

Seven toads were purchased from a local restaurant, which are likely collected locally. Gaoling is within the range of Tian-Mu-Shan Mountain

JF 231	Bufo gargarizans		
232	"		
233	"		CIB (Chengdu) will be brought in
234	"		
235	"		
236	"		
237	"		

J. Fu
2000

Feb 27. Huan-Tan Village, Xiaoshan Co.,
Zhejiang Prov., China
N 29°27.46' E 120°18.09'
Alt 290 Ft

Same location as 25th of Feb.
Five adults were collected

JF 219 Hynobius chinensis
220 "
221 "
222 "
233 "

JF 224 Rana japonica

Feb 28. Da-Yang-Ao, Dinghai co., Zhoushan Is.
Zhejiang Prov., China

N 30°01.66' E 122°08.66' Alt 578 Ft

Small pond almost completely covered by grass. size about 1X2 Ft
Six adults were collected

JF 225 Hynobius chinensis
226 "

J. Fu
2000

Feb 28 JF 227 Hynobius chinensis
228 "
229 "
230 " deposited at CIB

March 1 Yue-Zhu, Huantan sub-county
Xiaoshan Co., Zhejiang Prov., China

N 29°27.46′ E 120°18.10′

Small ponds. Eight adults were collected.

JF 238 Hynobius chinensis
239 "
240 "
241 "
242 "
243 "
244 "
245 "

J. Fu
2000

March 5. Qi-Li-Qiao, Sangang sub-county.
Wuyishan, Fujian Prov., China

N 27°43.89′ E 117°39.36′ Alt 2933 Ft

From a small stream, a few tadpoles were collected.

JF 246 Megophrys sp. tadpole frozen
247 " " "
248 " " "
249 " " "

deposit at Royal Ontario Museum

JF 250 Megophrys sp. tadpoles. alcohol pres.
2 specimens

JF 251 Megophrys sp. tadpoles. Formalin Pres.
6 specimens

March 6. Guadun village, Sangang, Wuyishan,
Fujian Prov., China

Purchased 7 toads. 1 Ophisaurus (alive)
3 Formalin preserved Vibrissaphora

They all were likely collected from vicinity of Guadun.

J. Fu
2000

March 6. JF 252 Bufo gargarizans
253 "
254 "
255 "
256 "
257 "
258 "

} at CLB will be brought back

JF 276 Vibrissaphora liui
277 "
278 "

——— deposited at Royal Ontario Museum

J. Fu
2000

March 11 Qi-Li-Yang, Dai Yun village, Dehua Co.
Fujian Prov., China

N 25°39.65' E 118°13.31' Alt 5063 Ft

Meadow on the top of a hill, right below the peak of Dai Yun Mount. Several Ponds are within the meadow.
9 Cynops & 1 Pachytriton were collected from in the ponds. 2 tadpoles from pond.
5 lizards were collected under rocks.

JF 259 Cynops orientalis
260 "
261 "
262 "
263 "
264 "
265 "
266 "
267 "
268 " juvenile frozen
JF 269 Pachytriton brevipes

JF 270 Paa sp. tadpole.
one frozen, one preserved in formalin
deposited at Royal Ontario Museum

J. Fu
2000

~~March 11~~

March 11 JF 271 Takydromus septentrionalis
272 "

JF 273 Eumeces elegan
274 "
275 "

16 1172